



Allscripts™

Misys EMR & ePrescribing Client Webinar

December 3, 2008

Misys EMR & ePrescribing Client Webinar

Steve Brewer, SVP Solutions Management

Kathy Davis, Product Manager, Misys EMR

David Pearah, VP Allscripts ePrescribe



Today's Agenda...

- › The Opportunity – CMS ePrescribing Incentive
- › AllscriptsMisys eRx Solutions
- › Overview of Allscripts ePrescribe & Integration
- › Timelines and Process
- › Recommendations and Q&A

Tracking the rulings

- › **July 15th, 2008**, U.S. Congress passed into law, MIPPA of 2008 criteria.
- › Section 132 of the law provides financial incentives for physicians to use electronic prescribing
- › New incentive program removes the e-prescribing measure from PQRI for 2009.
- › **Oct 31, 2008** final ruling of eRX incentive portion was announced
- › **Oct 30, 2008** CMS Allows Use of Computer-Generated Faxes for Prescriptions

CMS ePrescribing Incentive Program

Provides financial incentives for physicians ePrescribing

Requires adoption or imposes a penalty by 2012

	Incentive	Penalty
2009	2%	None
2010	2%	None
2011	1%	None
2012	1%	1%
2013	0.5%	1.5%
Beyond	None	2%

In addition to the e-prescribing incentive, physicians who successfully report measures under the Physician Quality Reporting Initiative will be eligible for an additional 2% incentive payment

How Do Physicians Receive their Incentive Payment?

- › Eligibility
 - Professionals must report on at least 50% of eligible patients
 - Incentive will be received on all claims if reporting is done on at least 50%
 - Must use a CMS qualified application
 - www.cms.hhs.gov/pqri
- › G-Codes: One of these three must be used on the Superbill
 - All prescriptions were sent electronically (G8443)
 - No prescriptions were written (G8445)
 - Didn't write them electronically due to an exemption (i.e. controlled substances) (G8446)
- › Reporting Periods
 - One year in length
 - Payment will be received approx. two (2) months after the reporting period

How Do Physicians Receive their Incentive Payment?

- › The e-prescribing measure's denominator codes for professional offices and outpatient services must represent at least 10 percent of the total of allowed charges under Part B for all such covered services furnished by the eligible professional.
- › **CPT Service Codes or HCPCS Codes:** 90801, 90802, 90804, 90805, 90806, 90807, 90808, 90809, 92002, 92004, 92012, 92014, 96150, 96151, 96152, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, G0101, G0108, G0109

CMS ePrescribing Incentive Program

Requirements for CMS Qualification

- Generate a medication list
- Select medications, transmit prescriptions electronically and conduct safety checks
- Provide information on lower cost alternatives
- Provide information on formulary or tiered formulary medications, patient eligibility and authorization requirements received electronically from the patient's drug plan

What eRx is Available in Misys EMR

EMR 8.10.1

- Electronically send New and Refilled Prescriptions
- Medimedia Infoscan Formularies

EMR 9.10.1

- Electronically send New and Refilled Prescriptions
- Electronically receive Refill Requests from Pharmacy

Available Q1 2009

- Integration with Allscripts ePrescribe
[Electronic Eligibility](#) from patients drug plan
- Medimedia Infoscan Formularies

Allscripts ePrescribe Overview

- › Allscripts ePrescribe™ is a web-based, e-prescribing application that is available as **stand-alone** solution or **integrated** to Misys EMR
 - **Simple** – online prescribing is easy
 - **Smart** – advanced logic draws from practice-based patient information
 - Automatic population of Drug Enforcement Agency (DEA) prescription history for the provider
 - Real-time notification of insurance formulary status
 - Real-time connectivity with pharmacies for orders and refills
 - **Safe** - instant checks on drug interactions
 - dosage levels
 - Patient specific factors including prior adverse reactions
 - Patient information protected by privacy and security measures including physician authentication

Classic Prescription Writer

Prescriptions Writer - Medications

Prescription Pad Formulary Notes Formulary Org Policies

PRESCREEN WARNING ● **Formulary Status: Unknown** **Formulary Notes: None**

Medication: COUGH FORMULA D ORAL ELIXIR 60-30 MG/15ML

SIG: [Empty]

Qty disp: 0 UOM: [Empty] Days supply: 0

Refills: 0 Category: [Empty] Status: NEW PRESCRIPTION

Samples: 0 Lot #: [Empty] Maximum daily dosage: 0

Ordered by: 119 RAVI

Comments: [Empty]

Pt's Weight on [Empty]

Release of information
 Patient agrees to share this item
 Sensitive

Drug reference [Empty]

Options

- Use DUR screening
- Print medication prescription
- Save comments
- Link selected SIG to medication
- Discontinue original Rx
- Include on inserted list
- Discontinue after last dose

Prescription dates

Start: 01/09/2006

Last dose / discontinued: [Empty]

Written: 01/09/2006 3 :21 PM

Prescription history

times this Rx renewed: 0

Total prescribed/renewed: 0/0

Last prescribed: [Empty]

Patient's pharmacy preferences

Local: BestMed Pharmacy Pt. Pharmacy

Mail order: MedsByMail

Actions

New Entry History Entry

PreScreen Education

Print Fax

e-Prescribe Return CNE

Return List Save

# Pad	Prob	Allergy	Instrct
1	2	3	
4	5	6	
7	8	9	
.	0	C	

Accessing Allscripts ePrescribe™

The screenshot displays the Misys EMR interface for a patient named '123 TEST PATIENT'. The 'CHARTS' tab is selected and highlighted with a red circle. The 'ePrescribe' button is also highlighted with a red circle. The interface includes a menu bar, a toolbar, and a main content area with a table for prescriptions. The table has columns for Date Written, Medication Name, SIG, List, Dispensed, UOM, # Fills, and Durz. A status bar at the bottom shows 'IMA TENN, RN v001 11/25/2008 11:28 AM'.

Prescriptions status: Current Discontinued

Demographics: Age: 40 y Weight: 24.95 Kg

Drug reference site: Epocrates

Allergies:




<input type="checkbox"/>	Date Written	Medication Name	SIG	List	Dispensed	UOM	# Fills	Durz


e-Prescribing task messages - Interface unavailable

IMA TENN, RN v001 11/25/2008 11:28 AM


Allscripts ePrescribe

Allscripts ePrescribe

 **Patient:** AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) Patient ID: AHS7 Misys Test Site 1 [Change](#)
Active allergies: None entered Dr. MisysProvider
Active problems: None entered
Active medications: A+D First Aid  | 
Pharmacy: None entered

Choose Medication Patient History My History All [Help With This Screen](#) 

Coverage: None Available *Brand drugs are in BOLD

Medication And Sig	Quantity	DAW	Refills	Days
<input type="radio"/>  A+D First Aid , OINT, 42.5 GM Tube, 1/2 Every Morning DT	<input type="text" value="2"/>	<input type="checkbox"/>	<input type="text" value="0"/>	<input type="text" value="0"/>



Allscripts ePrescribe

Allscripts ePrescribe

Patient: AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) **Patient ID:** AHS7 **Misys Test Site 1** [Change](#)

Active allergies: None entered **Dr. MisysProvider**

Active problems: None entered

Active medications: A+D First Aid  | 

Pharmacy: None entered

Choose Medication Patient History My History All [Help With This Screen](#)

Coverage: None ***Brand drugs are in BOLD**

	Quantity	DAW	Refills	Days
1/2 Every Morning DT	2	<input type="checkbox"/>	0	0

Allscripts ePrescribe

Allscripts ePrescribe

Patient: AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) Patient ID: AHS7 Misys Test Site 1 [Change](#)

Active allergies: None entered

Active problems: None entered

Active medications: A+D First Aid

Pharmacy: None entered

Dr. MisysProvider

[Help](#) | [Profile](#)

Choose Medication Cough Form **Search** Patient History My History All [Help With This Screen](#)

Cough Formula D

Coverage: None Available

[Modify Sig](#) [Add to Script Pad](#)

[Add & Review](#) [Review Script Pad](#) [Cancel](#)

Medication And Sig	Quantity	DAW	Refills	Days
A+D First Aid , OINT, 42.5 GM Tube, 1/2 Every Morning DT	2	<input type="checkbox"/>	0	0

[Done](#)



Allscripts ePrescribe

Allscripts ePrescribe

Allscripts **Patient:** AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) **Patient ID:** AHS7 **Misys Test Site 1** [Change](#)

Active allergies: None entered **Dr. MisysProvider**

Active problems: None entered

Active medications: A+D First Aid  | 

Pharmacy: None entered

Choose Medication Patient History My History All [Help With This Screen](#)

Coverage: None Available *Brand drugs are in **BOLD**

Drug Name	Strength	Unit	Dosage Form	Route
<input type="radio"/> <input checked="" type="radio"/> TGT Cough Formula DM	100-10	MG/5ML	Liquid	Oral

Allscripts ePrescribe

Allscripts ePrescribe

Patient: AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) Patient ID: AHS7 Misys Test Site 1 [Change](#)
Dr. MisysProvider

Active allergies: None entered

Active problems: None entered

Active medications: A+D First Aid

Pharmacy: None entered

[Help](#) | [Profile](#)

Choose Preferred SIG
Choose or write a SIG for TGT Cough Formula DM 100-10 MG/5ML Liquid Oral :

[Patient Ed Sheet](#) [Add to Script Pad ▶](#) [Add & Review ▶▶](#) [Cancel](#)

Preferred All Write Free Text SIG

TAKE 1 TEASPOONFUL EVERY 4 HOURS AS NEEDED
USE AS DIRECTED

Days Supply : Choose Package/Unit: 118 ML Bottle




Quantity : Refills: Dispense As Written

Pharmacy Comments (Maximum 210 characters)

[Done](#)

Allscripts ePrescribe


Allscripts ePrescribe

 **Patient:** AREND, MICHAEL J Gender, DOB: M, 12/12/1960 (47 Y) Patient ID: AHS7 Misys Test Site 1 [Change](#)
Active allergies: None entered Dr. MisysProvider
Active problems: None entered
Active medications: A+D First Aid  | 
Pharmacy: None entered

DUR Check

The following medications created warnings during the DUR process. Please review the warnings and take appropriate action or delete the medications from the prescription:

Line	Medication	Strength	Form	Route	Quantity
1	TGT Cough Formula DM	100-10 MG/5ML	LIQD	OR	2360

 Warnings/Details:

Dosage Check

Dosage Check Report:

Prescribed Drug Name: TGT Cough Formula DM
Quantity: 2360.00
Days Supply: 0
Units per Day: 0.00
Individual Dose: 0.00
Refills: 0

1. The prescribed daily quantity [0] is below the minimum required daily dose [0.01] for this medication.
2. The prescribed duration of 0 days is below the minimum duration [1] for this medication.

Database Edition 8.4 - Expires November2008
Copyright 2008 Wolters Kluwer Health, Inc.

Allscripts ePrescribe

Misys EMR - [MAPP Items]

File View Orders Reports Document Manager Tools Help

123 TEST PATIENT

VITALS LABS IMMUN HIPAA DISCLOSR PREGVIST PREGSUM RISKS PREGHIST LABRES CHARTS CHAR

Prescriptions status: Current Discontinued

Demographics: Age: 40 y Weight: 24.95 Kg

Drug reference site: Epocrates

Allergies:


Date Written	Medication Name	SIG	List	Dispensed	UOM	# Fills	Dura
10/15/2008	TGT Cough Formula DM 100-10 MG/5ML	1 Teaspoon every 4		1		0	0

e-Prescribing task messages - Interface unavailable

IMA TENN, RN v001 11/25/2008 11:28 AM

Buttons: ePrescribe, New Entry, History Entry, Refill, Discontinue, Edit, Copy, Education, ReScreen, View History, Pt. Pharmacy, Graph, Disposition, e-Prescribe, Print, Fax, Attach, Return CNE

Clinical Integration with Allscripts ePrescribe



When will integrated solution be available?

EMR 8.10.1

- › Feb 2009 – Available for Beta
- › March 2009 – Generally Available
- › Schedule implementation/Setup

EMR 9.10.1

- › March 2009 – Available for Beta
- › April 2009 – Generally Available
- › Schedule Implementation/Setup

What Should I do now?

EMR 8.10.1 (enrolled and electronically prescribing today)

- Continue using Misys ePrescribing as usual
- Sign up for integrated solution if desired (coming soon)
- View online demo for new Allscripts ePrescribe workflow
- Enrollment can be automatically and seamlessly populated
- Plan for installing Misys EMR Patch and running data in-load to sync-up

What Should I do now?

EMR 8.10.1 (not enrolled)

- Sign up to Enroll to Misys EMR ePrescribing
- Select option for integrated ePrescribe (coming soon)
- Can begin on Misys EMR eRx or wait for integrated ePrescribe
- View online demo for new Allscripts ePrescribe workflow

on EMR 8.x → upgrade to EMR 8.10.1

Recommendation (cont.)

EMR 9.10.1

- Continue using ePrescribing as usual
- Enrollment can be automatically and seamlessly populated
- Plan for Refill Pharmacy Request processing
 - Allscripts ePrescribe
 - Existing Task Queue

EMR 6 or 7

- Enroll for stand alone web-based ePrescribe solution
- Enroll for Demographic download to sync up patient data

Or

- Contact Allscripts at [1-800-877-5678](tel:1-800-877-5678) – option 2

Can I start with the stand-alone Allscripts ePrescribe?

Yes, but we don't recommend it. If you choose to do so, please consider:

- Managing 2 Medication lists
- Integrated ePrescribe data Sync process will go from EMR to ePrescribe
- View online demo for new Allscripts ePrescribe workflow

How do I Sign up?

Allscripts Client Web Site will be updated to provide options

- Interface setup and enrollment for the Integrated Allscripts ePrescribe platform will be automated
- Enrollment for classic ePrescribing in Misys EMR (must select option for Integrated ePrescribe)

<Details for enrollment available on Website no later than December 19th, 2008>

Need More Information?

Allscripts ePrescribe Product information Links

<http://eprescribe.allscripts.com/about>

<http://eprescribe.allscripts.com/help>

Links to FAQ this PPT and more Misys EMR Client Web Site

Or send questions to: Questions@Allscripts.com

Additional Information

- › CMS currently has an ePrescribing section on the PQRI website at www.cms.hhs.gov/pqri
- › This section contains information on:
 - The MIPPA legislation
 - A Fact Sheet describing the MIPPA E-Prescribing Incentive Provisions

Frequently Asked Questions

Q: Does classic Misys EMR ePrescribing application qualify for the CMS Incentive?

A: No, to fully qualify you will need to use the **Integrated Allscripts ePrescribe** function which provides eligibility and formularies [received electronically from the patient's drug plan](#)

Frequently Asked Questions

Q: Will there be a cost associated with the Integrated Allscripts ePrescribe solution?

A: We recognize the importance of an ePrescribing system that meets the eligibility, real-time formulary and medication history component for the CMS incentive so although all other Allscripts EHR Products do charge for these ePrescribing capabilities, Misys EMR will not charge for this coming year.

Frequently Asked Questions

Q: Can I run both Integrated ePrescribe and classic ePrescribing solutions?

A: Yes. For sending New prescriptions you can choose either workflow. For Refills you will need to choose where to receive the refill requests.

Frequently Asked Questions

Q: What if I prescribe a lot of controlled meds?

A: You still qualify for the incentive program. You would report with the G-Code that indicates you had prescribed a medication that was exempt

Frequently Asked Questions

Q: Do I lose incentive payment if I don't start immediately in January?

A: No, You don't have to start in January to qualify for the CMS Incentive program. To Qualify you have to report on 50% of your eligible patients over the course of the entire year. The reporting year begins in January but the period covers one year.

Frequently Asked Questions

Q: Can I still use my existing Formularies with Allscripts ePrescribe?

A: Yes, You have access to your existing formularies with or without the Integrated Allscripts ePrescribe solution.

Infoscan Formularies will be available in EMR 9.10 in spring of 2009. If you use Infoscan formularies you should remain on EMR 8 until the update/patch release to EMR 9.10 with Formularies is delivered in Spring of 2009.

Submit your questions now through
the LiveMeeting Console

Email questions to:
Questions@Allscripts.com



Allscripts™

The logo consists of a white, stylized, abstract symbol resembling a triangle with a curved top and a pointed bottom, positioned above the word "Allscripts" in a white, sans-serif font. A small "TM" trademark symbol is located to the upper right of the word.